

Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.

Rear Fobr 19th Den Dr. Englemann - hurry last I sent now class May hotes on Lemma for Hopelmier. They were incroved and I you how not sent the please Do not Do so. In both L. perfusilla (which I segend as a good spains with L. Thisweris as a bow. —) and L. Torregi the seed is Outhout spours! and what I called 'arillas' is the testa in L. Torreyi. L'hurpurilla has the Aplumule large and sodich Evident. herithern thick, testa satter aviaceous. L. Formy i has the Embry or Elongated-oflong= Doate, plument smole- rodicle not seen - perispens of a single layer of cells as in Wolffin Brasiliensis (vide Weddell in Ann. Dei, Not. 3, 12, 120/18.8.) In L. gibba the hilum is at the open of the seed and bring fixed In L. Torregi the hilum is at the born and attached to the inner cost as a shut, thich, blackish stalk. The inne cost is also crowned at At a pay with an frenchem which is apiculate, the central portion of the spiculus hardened and blackish and surroundedby a single Roger of cellular like there of the testa. Be sicular for flunde of the Coat (testa) as in Ligibbo, each, reparable. I testas in trylace of testas. Seedwith & Frankrys
tritagenored Mil Li polyrihi yo often her the young bounds with primatiform growns, in the spidermin or in Li primatotate Do not Kniver as it is wath while Letolyi tecto to send any notes to Hogodowien_ or I cannot write Them in letin & I husum he will see all that is to be seen without them. Chon section I send more shewing, Embyo. puinheren Ving tilly Jun, C. F. Auti PS, I have not yet led the Truens which I understood yeato mynye had sent e Austri MISSOURI

BOTANICAL

the commence of the contract o MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS Missouri BOTANICAL GARDEN

Left 10. 1867 B. Seemann, Journal of Odotany April 1865 (N. 28 p. 110 Lemnarcarum a Fr. Welwitsch i Afrika aeguinort. collect. and L. Legelmaier (with pl.29) p. 111 Lemma char gen. emend. athen 4-Cordens 112. L'univor ... ovulum et semen exertum hemianatropam L. Angolens is . Welw . i litt : fronteg ovato-ellipticae (per d'unidio augustivres et breviores quam in L'univere)... Carnosulae, supera obtige carinate busi per sello Temui oum fonde menterna cohaeventes, aprèse Comiralatae, commando sume prominente. Obrela erestum atropum ['nd. singula] auther Enancianis troffin char gen. 113. W. anhiga Wimmer, Ron. Schler. 3-20. 1857 floren frondes elliplise vil Inbrokeendre Telles globose convexce superne lessites vonvexce simmebrailans inapperte Horn at i genere / much like Those of D. Brazil 7 - - Presimine storotende et oblonger - allepterating . W. repaide of nov. Hegele : fronder ovater at manying repards - dealtales, sperne sabbusque ornvex injoule nime bestani labium inferme longissime productur, frank bilerve lenging, pyalinung. H. fr. generis ; fondber repaulles duplo meshoribe, a del hyslina (Delitei Pehleis) distint h. 114 W. Welwitschei sp. nov. degel. Bondes orstee bas i trærate april solantte, Temissiene membranavere polleende mago. Il L'polyels. utningen punctis fassis notatae; inflorescentie e foroles bines enempeales . - Stornata non inven!

0 1 2 3 4 5 6 7 8 9 10


Copyright reserved

Output

Missouri

Botanical

Garden



Berthold Seemann foul of Botany 52. Apil 1869 pay 115 Commercation of Seithlier Commerce by S. Kung 1. L. minor 2. L. pleiorrhiga L. Mull. Frondirelse oblongee Jupa in sicro pepillosae, musius rulae, magiaises purpurs ratio pleiorshijae. - Bondsele 1-12 lei ly lei lat. masser 4-5 pullare omminsvalee 1-1/2 pollong. Munnay River Will from not convatenated. 3. L. melaconhiga L. Mell & Kung Frondiche convex. insoulie textura L'holy whighe oblongue vel subsoltinde subter spengiosae 1-2-voigae radisles urgriscution vil Graneij. West Austrile: "& Fiji Alond Seem. 656 deemann's sperimen, are 3 times larger Than Muller's 4-L. Biller 1.116 W. Delili x W. Muchelii (andig) an identitel file & Trimen with which I genite agree " Kung. Sulpire Kung en Linn. Fooreet. 1. 264 (Jun 1866) Encurenti of Ledia Lemnascee p. 265 - Wolfen Deleili. Schleid. oblonger-globosse, super slomatifene isother globon - eflette, hyaline - var & 1/2 lin magn. p. 267 Lemma oligonhige Kung fromtrelle plane tenuius rule subobliga oblingre vil obtersiasvala 2-3 shige solles purpources. _ portible concertenatie 3-4 le long 1/2-2 lis let. 1-m 1-3 stricte med Congressione i flory ut - L. Mukore Ovaniam 2, mission / ovulation



0 1 2 3 4 5 6 7 8 9 10 MISSOURI BOTANICAL GARDEN

22 18 f) L'Appenna for Grey Manuel 4 ville Parther allita p. 479. L. Torrey off - fl. as frit. Jelevill stricte L. purpose lle very fle prestiferous, var triherris. . . for I somewhat agaline song very the not! Southand? L. paurirostata Hegelm / under L. pupusilla / fronds obliquely obovate This. 1-12 long mostly grouped Ins together, pril as in L. jungens. the seed marked with 12 or 14 promet sharp not, televen which the surface is trummely strike. Tours ale Manis 2 2 2 wand 16 th Tropos, of tother wolfin two celled author et mel Land W. Colembiana, Kansten, Front globose on oval 13- 23" by very loosely vellular equally light green on all sides, verpen senfave scarrily disting he for the lower one, with very few (2-5) stomete, the private law prolifers spen of the base with a their border bet ad appelaged, when dry forming a coverlar state, darker green anothe margin, Mortes afstegnet unite senne, near Schen bridge Selen Com. I I. W Robber who dironted many years age, change Co My. C. L. Auchi, Lete Ostanio I. A Variae man Detruit De Migelow, Atten Il. L. Hell abet Steen's D'Engelen al south ward from the probably not rave, but overlooks, wardy flowing Ether Illing) with as, the fully ble diend by Marsten i Veneguela, annos to Higelinain - lett. 128 wond 37 mone


0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

MISSOURI

BOTANICAL

GARDEN





02/27 1867 L'itsibution ad d'agueris according to stomats at epidermis cells A. Sine stomatibus Cellulae spidermidis plus minus sinuosae, en facie superiore superiore sere duplo minores quam in inferiore 1. Cellulae majores megis sinnosae 2. Cellulae minores parries sinuasae hinciuse angulosse L. Torregé B. In plaga superiore stomatifene a. Celleche epidermidi in facu atraque state sinuosae « maxime sinner al, stomats plusima. I Cellalse epidemilj supervis stomala (oum oellede, mangulles) L'unians Jeses agreantes. L'herpusille L'hauci voitata* 2. __ stomatiber, fere deple majores B. minus simussae, slomale parciora, minora Cellula epidemili færiei supenini slomale (L. Sorreye fere acquantes de gibba a. Cellulae epidomeilj i forie supir angulætee
vel hix sinus sae Stomatibus vix inihores, vin freie inferire dere requeles simultee fere diplo raying holynhiga 2. Somaliter mults (3-4) minorès in preie inferiore v maxime L. melanorhija *) var minuta (Panama, & Conte ii He Torrey) hus slightly angled vells much like those of L. gibba and not larger the thousely. Missouri


BOTANICAL

GARDEN

copyright reserved

cm

MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS



-: 18. Ege 1867 American Line for Lemme 51 Louis L. minor odet Geaming with Tolgrh. & Wolfer L. Torregi Ponds on Hells north of Il Low with Azolla Ay 1847; Laker - Dottom with this. Allen Sthe Sthe pol. L'trislen Au Bothe with pola Tor Le feolywhigh A - Ooth, Manutet and, old genni Li pupurille Pads a Mandettond 1867? Wolfin arting Can a Mo L. polywhize L. populle Ahm Botte. Le plyntige L. Zongi wolf ashiga & wolfen ---Detwit La troiler & polywhigh Muxim (L. minor? populle?) Arijo L. Lorreyi Ligible.! Lemma minor old quarres Shown with la prepshige & livefidashing Sante te Turblen 1008 fise Austria - (why not perpunite?) a. perpusille For Can Co Mu. Broadhand with politities. Lackrongen Aben Pa & Wyne Co Pa Anthis I same Corality? L. Forrey And . Allowing and Mills Lakes in both with this. Alkanya, Bothom with poll S Centi and, Den Co. 11. J. Aust. Clost h). Asjona Nº 457 Comsk Ollen L'etisilen C. Aldoi Au Dott with pol a Tor. Schoot, Bull Mex. La loog with pages, 1.47 L. polyshiza of Stown Old Granis, with min. Pad on Marchet now 1841 awelets Stock empty - I that Be 1845 - An Botten All of the 1835 with Torr. Can Co Me Detwil Signs 9.66 Anjone Cours « Ville. 441

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

